TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3189 (6-51)

LIGHTSHIP OR LIGHT STATION LOG

MONTHLY SUMMARY

(Fill Out on Last Day of Month)

U. S. COAST GUARD ROSE ISLAND LIGHT STATION , NEWPORT, R.I. MONTH OF MAY, 1962

SUPPLIES *(Light Station Only)*

	FUEL	DIESEL OIL, GAL.	GASOLINE, GAL.	LUB. OIL, GAL.	WATER, GAL.		
RECEIVED	2280		250	17	10,000		
EXPENDED	560		30	00	200		
REMAINING	1720		220	17	9,800		

SUMMARY OF OPERATION *(Low Visibility, Fog and Calibration)*

	FOG SIGNAL	RADIO BEACON LOW VISIBILITY	REGULAR CALIBRATION	SPECIAL BEACON CALIBRATION
TOTAL PREVIOUS MONTHS OF YEAR	1,868.25 HR.	HR.	HR.	HR.
TOTAL THIS MONTH	59.5 HR.	HR.	HR.	HR.
TOTAL YEAR TO DATE	1,928.20 HR.	HR.	HR.	HR.

GENERAL REMARKS ON CONDITION AND OPERATION OF UNIT
(Use Reverse Side for Additional Remarks. Explanation shall be made when "fair" or "poor" is checked)

	EXCELLENT	GOOD	FAIR	POOR	REMARKS
BUILDINGS OR HULL		X			
ILLUMINATING APPARATUS	X				
FOG SIGNAL		X			
RADIOBEACON					
MACHINERY					
BOATS (BY NO.)					
16585			X		
VEHICLES (BY NO.)					

NUMBER DISABLING INJURIES REPORTED 00 DAYS LOST 00 ACCIDENTAL DAMAGE TO PROPERTY, $ 00

OTHER AIDS TO NAVIGATION FOR WHICH RESPONSIBLE

NAME	LL. NO.	CONDITION	REMARKS
GULL ROCKS	547	GOOD	NONE

(Use Other Side if Necessary)

Bobby G. McWilliams
CERTIFIED TO BE CORRECT
Bobby G. McWilliams, BM1
(Officer in Charge)

U. S GOVERNMENT PRINTING OFFICE 16—63539-2

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tues 1 May 1962 LOCATION Newport. R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	nw	2	30.12		44	BC	as/st	3	7		
0400	nw	3	30.10		42	BC	as/st	3	7		
0800	nw	3	30.08		41	BC	as/st	4	7		
1200	NW	4	30 14		46	BC	AS/ST	4	7		
1600	NW	4	3014		42	BC	AS/ST	4	7		
2000	nw	4	30.12		40	BC	as/st	4	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2280	17	9800
EXPENDED	20	—	200
REMAINING	2260	17	9,600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
Liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all a/m 0000-0400 all vis.

Bobby G McWilliams

0400 checked all vis a/m 0400 – 0800
0600 main Light Out
0800 Morning colors 0800-1200
0805 Turn too station work,
0810 16585 Departed for Newport to take Adams Larry M SN. on 48 hr. Liberty.
0830 16585 Arrived Station With Gadomski F.A.
1000 16585 Departed Station With McWilliams BM-1

1200-1600
1200 Chow
1230 Held Drill
1300 Turn to Station Work
1430 McWilliams Returned Station With 16585

1600-2000
1600 Checked Vis A/M
1915 main light in operation
1930 Evening colors.
2000 Checked all a/m to

Bobby G McWilliams

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wed. 2, May 1962 LOCATION Newport, R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	30.10		40	BC	as/st	3	7		
0400	NW	3	30.08		40	BC	as/st	4	7		
0800	NW	3	30.04		42	BC	as/st	4	7		
1200	NE	3	3004		44	BC	NS	5	7		
1600	NE	3	3002		40	BC	NS	5	7		
2000	NE	3	3000		40	BC	NS	5	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2260	17	4,600
EXPENDED	20	-	200
REMAINING	2240	17	4,400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
Liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only)

RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRES-SURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
2200	2400	2	00	15									
TOTAL FOR DAY		2	00		TOTAL FOR DAY								
TOTAL FOR MONTH		2	00	15	TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 - Checked all vis a/n

Bobby S McWilliams

0400-0800

0600 Main Light secured
0800 Morning Colors.

Bobby S McWilliams

0800-1200

0800 Turn too station work.
0800 checked all vis a/n.
1130 McWilliams BM-1 Departed station with 16585 for New port

Louis G. White

1200-1600

1200 Chow

1230 Turn too station work.

1300 checked all a/n

1300 16585 Returned this unit.

Bobby S McWilliams

1600-2000

1600 Checked all vis a/n.
1630 Secured station work.
1930 Main light in operation.
1945 Evening colors.

Bobby S McWilliams

2000-0000

2000 checked all a/n.
2200 Station Signal in operation, also Gull Rocks.

CERTIFIED TO BE CORRECT

Bobby S McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thur 3, MAY 1962 LOCATION New Port, R. I
(Insert day of week, day, month, year)

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	SW	1	3000		46	F	NS	10	3		
0400	SW	2	30.08		42	F	NS	10	3		
0800	NW	1	29.96		46	BC	Cs/st	8	6		
1200	NW	2	2996		46	O	NS	10	7		
1600	NW	2	2994		44	O	NS	9	7		
2000	NW	2	29.92		42	O	NS	8	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2240	17	9-400
EXPENDED	20	00	,200
REMAINING	2220	17	9,200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
0000	0730	7	30	15
TOTAL FOR DAY		7	30	
TOTAL FOR MONTH		9	30	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 CHECKED U/S %m

W. Sadonsko

0400 - 0800

0400 CHECKED U/S a/m
0730 SECURED FOG SIGNAL & GULL ROCKS BELL

Bobby G McWilliams

0800 - 1200

0800 Mornig colors
0805 TURN TOO STATION WORK.
10.00 16585 DEPARTED FOR NEWPORT AND CASTELL HILL LBS TO PICK UP SUPPLIES. ALSO TO TAKE BACOMSKI FA ON
1 48HR. LIBERT, ADAMS S.N. RETURNED FROM LIBERTY.

1100 Received P 031452Z Hoist S/C warnings

1200 - 1600

1200 Chow down
1230 Held drill
1300 Turned to
1330 MAIN Shore power OFF, STATION OPERATING ON STANDBY power.
1400 Shore Power back in operation.
1600 Secured FOR DAY.

1600 - 2000

1600 Checked ALL US A/N
1930 MAIN Light in operation.
1945 Evening colors.
2000 checked ALL U's A/N.

Bobby G McWilliams

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Fri 4, May 1970 (Insert day of week, day, month, year) LOCATION Newport, R. I

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	29.92	40		O	NS	10	6		
0400	NW	2	29.90	44		OF	NS	10	0		
0800	NW	2	29.90	45		OF	NS	10	0		
1200	NW	2	29.94	49		BC	AS/ST	3	7		
1600	N	2	29.96	56		BC	AS/ST	2	7		
2000	N	2	29.98	58		BC	AS/ST	2	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2220	17	9,200
EXPENDED	20	–	200
REMAINING	2200	17	9,000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
Liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0830 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0530	0830	3	–	
TOTAL FOR DAY		3	–	
TOTAL FOR MONTH		12	30	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0400 checked all vis a/m 0000-0400

Bobby S McWilliams

0400 checked all vis a/m-0400-0800
0530 Started fog signal also Bull rocks bell
heavy fog

0800 morning colors., checked a/m (fog) 0800-1200 Bobby S McWilliams
0805 turn too station work.
0830 Secured fog signal also Bull Rocks bell, and station light.

1200-1600

1200 chow
1230 Turn To
1500 call Group commander About Trouble in Transformer Cage
1515 called Mr. Merlove about Elect. Trouble Refered To Mr. Springer AT Navy Base

1600-2000

1600 All A/N vis & w/p
1700 Secured station work
1930 Main Light in operation

2000-2400 S. M. Adams SN

2000 All A/N vis & w/p

S. M. Adams SN

CERTIFIED TO BE CORRECT

Bobby S McWilliams
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sat- 5, MAY 1962 (Insert day of week, day, month, year) LOCATION New Port, R I

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Calm		3000		40	B	—		8	—	—
0400	Calm		3002		50	B	—		8	—	—
0800	Calm		3003		60	B	—		8	—	—
1200	NW	2	29.96		64	BC	as/st	6	7		
1600	NW	2	29.94		62	BC	as/st	4	7		
2000	NW	2	29.90		56	BC	as/st	6	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2200	17	9,000
EXPENDED	20	—	200
REMAINING	2180	17	8800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
LIBERTY	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only) **RADIOBEACON** (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY		—	—		TOTAL FOR DAY								
TOTAL FOR MONTH		12	80	55	TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 All A/N vis & W/P

0400-0800

0400 All A/N vis & W/P
0600 Secured Main Light

0800-1200

0800 Morning colors - Quarters - Turned to
1000 White EN2 Departed on 48hr. Liberty Boat 16585 to Town
1100 Godomski FA arrived station in CG 16585 with supplies & mail off 48hr's liberty

Bobby G McWilliams

1200-1600

1200 Checked ALL vis a/n.
1200 Sersured for chow.
1230 Turned too station work.
1600 Secured station work

Bobby G McWilliams

1600-2000

1600 Checked all vis A/N
1830 Main light in operation
1945 Evening colors

2000-0000

2000 Checked all vis a/n
2200 Checked all vis a/n

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE SUN-6 May 1962 LOCATION Newport RI
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	1	29.96		44	BC	as/st	6	6		
0400	NW	2	29.96		46	BC	as/st	6	6		
0800	NW	3	29.94		48	[illegible]	NS	10	1		
1200	SE	3	29.92		56	BC	as/st	6	7		
1600	SE	3	29.78		54	BC	as/st	6	7		
2000	SE	3	29.76		52	BC	as/st	6	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2180	17	8800
EXPENDED	20	-	200
REMAINING	2160	17	8,600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only) **RADIOBEACON** (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		CALIBRATION SERVICES SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
0730	0815	-	45										
TOTAL FOR DAY		-	45		TOTAL FOR DAY								
TOTAL FOR MONTH		13	15	15	TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked all vis A/M

Bobby G McWilliams

0400-0800

0400 Checked all vis A/M.

Bobby G McWilliams

0400-0800

0600 main Light out

0730 Started fog signal out main light also Gull Rocks

Bobby G McWilliams

0800 Morning colors. 0800-1200

0815 Secured fog signal ~~all~~ and Gull Rocks bell

1200 Secured for chow. Bobby G McWilliams

1200 Checked all vis A/M. 1200-1600

1300 Turn too in office. Crew Holiday ~~Rountine~~ Rountine.

1600 Secured for day Bobby G McWilliams

1600-2000

1600 Checked all vis A/M

1930 Main Light in operation

1940 Evening Colors.

2000 Checked all vis A/M

Bobby G McWilliams

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 7th May 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	29.76		50	BC	as/st	4	7		
0400	NW	3	29.76		52	BC	as/st	3	7		
0800	NW	3	29.78		56	BC	as/st	3	7		
1200	NW	3	2984		57	BC	AS/ST	3	7		
1600	NW	3	2987		62	BC	AS/ST	3	7	—	—
2000	NW	3	2989		65	BC	AS/ST	3		—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2980	17	8,600
EXPENDED	20	~~17~~	200
REMAINING	2960		8,400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		13	15	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 - Checked all vis a/m

Bobby G McWilliams

0400 Checked all vis a/m - 0400 - 0800
0510 Recived S.W.C. P 070852 Z
0600 Secured main light
0800 Morning colors.

Bobby G McWilliams

0800 - 1200

0800 Turn too station work
1000 CG 30402 moored this unit with Grp Comm. for Inspection
1015 White EN-2 reported to Castle Hill L/B/S for transportation off 48 hrs liberty
1130 CG-30402 departed station with Grp Comm enroute moorings for White EN-2 off liberty

1200-1600 S. M. Adams SN

1300 CG 30402 moored station with White EN-2 off liberty & departed station with McWilliams BM-1 on liberty 48 hrs.
1320 Turn to station work

1600-2000 S. M. Adams SN

1600 Secured station work
1930 Main Light on

2000-2400 S. M. Adams SN

2000 All A/N vi's W/P
2145 Rec P 080736Z Lower S/C warnings

S. M. Adams SN

CERTIFIED TO BE CORRECT

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tue. 8, May, 1962 (Insert day of week, day, month, year) LOCATION New Port, R. I

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2990		40	BC	NS	7	7		
0400	SW	3	2992		40	BC	ASST	6	7		
0800	SW	3	2996		48	BC	ASST	5	7		
1200	SW	3	2999		59	BC	ASST	5	7		
1600	SW	3	2998		52	BC	ASST	6	7		
2000	SW	3	2996		48	BC	ASST	7	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2140	17	8400
EXPENDED	20	—	200
REMAINING	2120	17	8200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
Liberty	1	
PRESENT		

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		13	15	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400
0000 Checked Vis A/N
L G White

0400-0800
0400 Checked Vis A/N
0600 Secured Main Light
L G White

0800-1200
0800 Colors
0815 Turn To
L G White

1200-1600
1200 Chow Received Defer 081400Z
stop All SF.44
1230 Turn To
L G White

1600-2000
1600 Checked Vis A/N
1930 Turned on Main Light
1953 Colors
L G White

2000-2400
2000 Checked Vis A/N
L G White

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 9th May 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	2986		40	BC	As/st	2	8	—	—
0400	NW	2	2985		45	BC	As/st	2	8	—	—
0800	NW	2	2983		49	B	—		8	—	—
1200	NW	3	2995		56	B	—	—	8		
1600	NW	3	29.95		58	BC	As/st	2	8		
2000	NW	3	29.94		52	B	As/st	2	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2120	17	8200
EXPENDED	20	—	200
REMAINING	2100	17	8,000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—	—	
TOTAL FOR MONTH		13	15	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 All A/N vis & W/P

0400-0800 S.M. Adams SN

0400 All A/N vis & W/P

0600 Secured Main Light

0800-1200 S.M. Adams SN

0800 Colors- Quarters -Turned to, All A/N vis & W/P

0905 Received P091240Z from Castle Hill L/B/S Hoist S/C WARNINGS

1200-1600

1200 - chow

1300 Turn too station work.

1305 McWilliams BMT Returned from 48hr. Liberty Adams SN Departed on 48hr. Liberty.

1600 Secured station work.

1600-2000

1600 Checked all vis a/n.

1930 Main light in operation and showing properly

2000 Checked all vis a/n 2000-2400

CERTIFIED TO BE CORRECT

Bobby L McWilliams

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thur 10th MAY, 1962 LOCATION Newport. R.I
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	29.92		52	BC	as/st	2	7		
0400	NW	3	29.92		58	BC	as/st	2	8		
0800	NW	4	29.94		62	BC	as/st	2	8		
1200	NW	4	29.96		64	BC	as/st	3	8		
1600	NW	2	29.98		62	BC	as/st	3	8		
2000	NW	3	29.98		59	BC	as/st	3	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2100 ~~1920~~	17	8,000
EXPENDED	20	-	200
REMAINING	2080	17	7,800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
LIBERTY	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—	—	
TOTAL FOR MONTH		13	15	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked all vis a/n.
0400 checked all vis a/n.

0400 - 0800

0400 checked all vis a/n
0600 Secured main light.
0605 Received P100948Z

0800-1200

0800 Morning Colors.
0805 Turn too station dutys.
1200 Secured for chow.

1200 - 1600

1200 Chow
1230 Turn To

1600-200

1600 Checked vis A/N.
1830 Turned on Main light
1856 Colors

2000-2400

2000 Checked vis A/N
2330 Received P 110202Z Lower small craft warnings

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Fri 11 May 1962 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	30.00		50	BC	as/st	3	8		
0400	NW	3	30.02		52	BC	as/st	2	8		
0800	SE	1	30.04		64	BC	as/st	2	8		
1200	SE	3	30.02		62	BC	as/st	3	8		
1600	SE	3	30.04		68	BC	as/st	3	8		
2000	SE	3	30.08		54	BC	as/st	3	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2080 1900	17	7,800
EXPENDED	20	17	200
REMAINING	2060	17	7,600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
Liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		–	–	
TOTAL FOR MONTH		13	15	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked all vis a/m

0200 Checked all vis a/m

Bobby G McWilliams

0400 Checked all vis a/m 0400-0800

0600 Secured main Light.

0800 Checked all vis a/m. 0800-1200

0800 Morning Colors. Turn too Station work.

1015 CG-16585 Departed for Newport with
Gadomski FA. and to pick up Adams SN
from 48th Liberty Beach men to go for chest xrays
before returning to unit.

Bobby G McWilliams

1130 Boat Returned to unit.

1200-1600

1200 chow
1230 Held Drill
1300 Turn To
1345 16585 Departed Station for ADAMS off Liberty
1415 16585 Return Station
1600 Secured station work.

1600-2000

16000 Checked all vis a/m
1930 Main Light in operation
1955 Evening colors.
20.00 Checked all vis a/m.

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sat, 12, May 1962 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SE	2	30.12		54	BC	as/st	2	8	—	—
0400	SE	2	30.16		52	BC	as/st	3	8	—	—
0800	SE	3	30.00		56	BC	as/st	3	8	—	—
1200	SE	3	30.22		60	BC	as/st	3	8	—	—
1600	SE	3	30.24		54	BC	AS/ST	3	8	—	—
2000	SE	3	30.30		52	BC	as/st	3	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2060 ~~1880~~	17	7,600
EXPENDED	20	—	200
REMAINING	2040	17	7,400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
Liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—	—	
TOTAL FOR MONTH		13	15	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400 S.M. Adams SN

0000 All A/N vis & w/p

0400-0800

0400 All A/N vis & w/p

0600 Secured Main Light

0800-1200 S.M. Adams SN

0800 Colors - Quarters, Turned to, All A/N vis & w/p

1200-1600 S.M. Adams SN

1200 Chow - All A/N vis & w/p

1230 drill period

1300 Turned to station work

1600-2000 S.M. Adams SN

1600 All A/N vis & w/p, Secured work

1930 Main Light in operation

1950 Evening colors

2000 checked all vis a/n

Bobby G McWilliams

2000-2401

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sun, 13 May 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	3038		42	BC	AS/ST	2	8		
0400	Calm		3039		46	BC	AS/ST	2	8		
0800	Calm		3042		52	BC	AS/ST	2	8		
1200	SSE	3	30.48		56	BC	as/st	2	8		
1600	SSE	3	3049		55	BC	AS/ST	2	8		
2000	SE	3	30.43		52	BC	as/st	1	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2040 ~~1860~~	17	7,400
EXPENDED	~~180~~ 20	-	200
REMAINING	2020	17	7,200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
LIBERTY	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—	-	
TOTAL FOR MONTH		13	15	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked vis A/N

L. G. White

0400 - 0800

0400 Checked vis A/N

0800 Secured main light

L G White

0800 - 1200

0800 Morning colors, All A/N vis c w/p

1200 - 1600

1200 Chow - All A/N vis, c w/p

1230 Held drill

1400 CG 16585 Departed for Newport, to pick up Sadomski, from Liberty

1430 CG 16585 Returned to unit.

Bobby G McWilliams

1600 Checked all a/n vis. 1600-2000

1930 Main light in operation

1950 Evening colors.

Bobby G McWilliams

2000 - 2400

2000 Checked all vis a/n

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Mon 14 May 1962 LOCATION Newport. R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SSE	3	30.40		50	BC	as/st	3	8	—	—
0400	SE	3	30.38		46	BC	as/st	6	8	—	—
0800	SE	2	30.32		50	C	as/st	8	7	—	—
1200	SE	3	3026		50	R	NS	9	6	—	—
1600	SE	3	30.24		49	R	NS	9	6	—	—
2000	SE	2	3023		50	OZ	NS	10	5	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	~~1840~~ 2020	17	7,200
EXPENDED	20	—	200
REMAINING	2000	17	7,000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
L BEETY	—	
PRESENT	4	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
1400	1500	1	—	15
2200	0000	2	—	15
TOTAL FOR DAY		3	—	
TOTAL FOR MONTH		16	15	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000- 0400

0000- Checked all vis a/n

0

0400 Checked all vis a/n 0400 - 0800 Bobby S McWilliams

0600 Secured main light.

0800 Checked all vis, a/n.

0800-1200

0800 Morning colors

0800 Turn too station work.

1200 - 1600.

1200 Checked Vis A/N Standing By for Eastern Area Inspection

1230 CG-40522 ARRIVED WITH EASTERN AREA INSPECTORS WARRANT CHMACH E.J. WESNER - S.L. BOND- SK-1

1400 Started fog signal

1500 CG-40522 DEPARTED WITH EASTERN AREA INSPECTORS

1500 Secured fog ~~[illegible]~~ signal.

4 1600-2000 Bobby S McWilliams

1600 checked all vis a/n

1700 White EN2 on 48hr Liberty.

1950 Main light in operation

1955 Evening colors.

2000 - 0000

2000 Checked all a/n vis.

2200 Started fog Signal & Hull Rks bell

L. M. Adams SN

CERTIFIED TO BE CORRECT

Bobby S McWilliams

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 15th May 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	SW	2	3020		45	OF	NS	10	1	—	—
0400	SW	2	3021		50	OF	NS	10	1	—	—
0800	SW	2	3022		55	OF	NS	10	2	—	—
1200	SE	2	3030		52	C	NS	5	7		
1600	SE	2	3032		50	C	NS	5	7		
2000	SE	2	3034		48	C	NS	5	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2000	17	7000
EXPENDED	20	—	200
REMAINING	1980	17	6,800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 1030 Time Lighted 1930

FOG SIGNAL (Low visibility only) — **RADIOBEACON** (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
0000	1030	10	30	15									
TOTAL FOR DAY		10	30		TOTAL FOR DAY								
TOTAL FOR MONTH		26	45	15	TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 All A/N not vis due to Fog

0400-0800 S. M. Adams SN

0400 All A/N not vis due to Fog

0800-1200 S. M. Adams SN

0800 Colors, Quarters - Turn to - All A/N not vis due to Low visibility

1030 Secured Main Light, Gull RK's bell & Foghorn

1200 Secured for chow.

W. Hadomske

1200-1600

1200 Checked all vis a/n

1230 Held Drills

1300 Turn too Station work

1600 Secured for day.

W. Hadomske

1600-2000

1600 Checked all vis a/n

1945 Main Light in operation

1955 Evening colors.

2000 Checked all vis a/n

W. Hadomske

CERTIFIED TO BE CORRECT

Bobby S McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545—1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 16th May 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	ne	1	30.36		51	BC	as/st	3	7	—	—
0400	ne	2	30.38		47	BC	as/st	5	7	—	—
0800	ne	2	30.40		56	BC	as/st	5	8	—	—
1200	Calm		30.40		56	C	ASST	5	7	—	—
1600	Calm		30.38		52	BC	ASST	5	7	—	—
2000	Calm		30.35		53	BC	ASST	5	7	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1980	17	6,800
EXPENDED	20	–	200
REMAINING	1960	17	6400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		26	45	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

Checked all vis a/n 0000-0400

L G White

0400 Checked all vis a/n 0400-0800

Bobby G McWilliams

0800 Checked all vis a/n 0800-1200

0800 Morning Colors.

0805 Turn too station work

1030 McWilliams BM-1 departed this date on 48 hrs liberty in CG 16585

1130 White BM-2 returned to this unit off 48 hrs liberty

1200-1600 S. M. Adams SN

1200 Chow, All A/N vis

1230 drill period

1300 Turn to

S. M. Adams SN

1600-2000

1600-checked vis A/N

1630-Secured station work-16585 Departed station for Newport to Pick up McWilliams BM-1

1700 McWilliams BM-1 ~~departed~~ moored station with supplies & mail

1930 Main Light in operation

Louis G. White

2000 Colors - ~~On~~

2000-2400 All A/N vis & w/p

Louis G. White

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 17th May 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Calm		3030		45	BC	ASST	3	8	—	—
0400	Calm		3026		48	BC	ASST	3	8	—	—
0800	Calm		3030		52	BC	ASST	3	8	—	—
1200	SE	3	3024		54	BC	ASST	3	8	—	—
1600	SE	3	3023		59	BC	ASST	3	8	—	—
2000	SE	3	3026		65	BC	ASST	3	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1980	17	6,400
EXPENDED	20	—	200
REMAINING	1960	17	6200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
[✓ AL], AWL, AOL	1	
AH		
liberty	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		26	45	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 All A/N v/s & w/P

0400-0800 S.M. Adams SN

0400 All A/N v/s & w/P
0600 Main Light off

0800-1200 S.M. Adams SN

0800 Colors - Quarters - Turned to station work
0900 Gadomski. FA Departed on 15 Days ~~Liberty~~ Leave
0915 CG 16585 departed station with McWilliam BM-1 on liberty
0930 Turn over station machinery
1000 CG 16585 moored station
L G White

1200-1600

1200 Chow
1230 Turn to station work Held saftey Instruction
1300 Turn to
L G White

1600-2000

1600 All A/N v/s, Secured from work
1930 Main Light in operation

2000-2400

2000 All A/N v/s & w/P S.M. Adams SN

CERTIFIED TO BE CORRECT

Louis G. White En-2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 18th May 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Calm		3012		48	BC	AS/ST	3	8	—	—
0400	calm		3010		50	BC	AS/ST	3	8	—	—
0800	Calm		3020		53	BC	AS/ST	4	8	—	—
1200	SW	3	3016		69	BC	AS/ST	4	8	—	—
1600	SW	3	3010		57	BC	AS/ST	4	8		
2000	SW	3	3008		54	BC	AS/ST	3	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1960	17	6,200
EXPENDED	20	—	200
REMAINING	1940	17	6,000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
[✓ AL], ~~AWL, AOL~~	1	
AH		
liberty	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only) / RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL					RADIOBEACON								
TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH		26	45	15	TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000-Checked Vis A/N

L G White

0400-0800

0400 checked Vis A/N

0600 Main Light off

0800-1200 S. M. Adams SN

0800 Colors - Quarters - Turned to, Checked All A/N vis & W/P

0915 CG30402 moored station

0935 CG30402 departed station with White EN-2 enroute Gull RK'S Light

1030 CG30402 moored station with White EN-2 From Gull RK'S Light

1115 CG30402 moored station with "Civilian EN- from Dist"

1140 CG30402 departed station with "Civilian EN."

1200-1600 S. M. Adams SN

1200 Chow, All A/N vis

1230 Held signal & communications drill, Turned to

1300 Held station inspection L G White

1600-2000

1600-16585 Departed station with ADAMS SN on Liberty

1620-16585 Return station with McWilliams BM-1 off Liberty

1930 Turned on Main Light

L G White

2000-2400

2000 Checked Vis A/N

2002 Colors

L G White

CERTIFIED TO BE CORRECT

Louis G. White En-2

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 19th May 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	3	3006		48	BC	AS/ST	2	8		
0400	SW	3	3003		49	BC	AS/ST	2	8		
0800	SW	3	3000		56	BC	AS/ST	2	8		
1200	SW	4	2996		66	BC	AS/ST	3	8		
1600	S	3	2996		60	BC	AS/ST	4	8		
2000	SE	2	2994		56	BC	AS/ST	5	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1920	17	6000
EXPENDED	20	—	200
REMAINING	1900	17	5800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
[✓ AL], AWL, AOL	1	
AH liberty	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only) **RADIOBEACON** (Low visibility and calibration time only)

FOG SIGNAL					RADIOBEACON					CALIBRATION SERVICES			
TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH		26	45	15	TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked Vis A/N

L G White

0400 - 0800

0400 Checked Vis A/N
0600 Secured Main Light

L G White

0800 - 1200

0800 Colors
0805 Turn To Station Work
1130 Called Castle Hill Navy Sail Boat Broke Main Stick

L G White

1200 - 1600

1200 Checked Vis A/N Chow
1230 Turn To Station Work
1450 Received P191834Z Raise Small Craft Warnings

L G White

1600 - 2000

1600 Checked Vis A/N
1630 Secured Station Work
1930 Turned on Main Light

L G White

2000 - 2400

2000 Checked Vis A/N
2002 Colores

L G White

CERTIFIED TO BE CORRECT

Louis G. White En2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 20 May 1962 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	NW	3	2994		52	BC	AS/ST	3	7		
0400	NW	2	2994		56	BC	AS/ST	3	7		
0800	N	2	2994		65	BC	AS/ST	3	7		
1200	N	2	2994		69	BC	AS/ST	4	7		
1600	S	2	2988		62	BC	AS/ST	4	7		
2000	SW	2	2984		56	BC	AS/ST	4	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1900	17	5800
EXPENDED	15	—	200
REMAINING	1885	17	5600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
[✓ AL], AWL, AOL	1	
AH Liberty	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only) / RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRES-SURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY		—			TOTAL FOR DAY								
TOTAL FOR MONTH		26	45	15	TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400
0000 checked Vis A/N

L G White

0400 - 0800
0400 checked Vis A/N
0600 secured main light

L G White

0800 - 1200
0800 colors, Holliday Routine

L G White

1200 - 1600
1200 - chow, checked Vis. A/N

L G White

1600 - 2000
1600 - checked Vis A/N
1630 - 16585 Departed Station for Supplys in Newport
1730 - 16585 Returned Station
1930 Turned on Main Light

L G White

2000 - 2400
2000 checked Vis A/N
2003 colors

L G White

CERTIFIED TO BE CORRECT

Louis G. White En-2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Mon. 21 May 1962 (Insert day of week, day, month, year) LOCATION Newport, RI

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2974		52	BC	NS	2	6	—	—
0400	SW	2	2970		54	OF	NS	10	2	—	—
0800	SW	2	2970		56	OBC	NS	10	1	—	—
1200	SW	3	2964		58	OZ	TNS	10	5	—	—
1600	SW	3	2970		67	OZ	TNS	10	6	—	—
2000	ENE	2	2970		62	OZ	TNS	10	6	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1885	17	5600
EXPENDED	15	—	200
REMAINING	1870	17	5400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL	1	
AH		
Liberty	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 1100 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0200	1100	9	00	15
TOTAL FOR DAY		9	00	15
TOTAL FOR MONTH		35	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 – 0400

0000 - checked vis A/N
0200 - started fog horn and Gull RKs Bell

L G White

0400 – 0800

0400 uneventful

L G White

0800 – 1200

0800 colors
0805 Turn to station work
0930 CG16585 departed station with White EN-2 on liberty
0950 CG16585 moored station with Adams SN off liberty
1130 Secured Main Light, foghorn & Gull RK's bell
1145 Chow down

S. M. Adams SN

1200 – 1600

1200 A/N vis
1230 Turned to drill period

1600 – 2000 S. M. Adams SN

1600 A/N vis & w/p Secured from work
1930 Main Light in operation

2000 – 2400 S. M. Adams SN

2000 All A/N vis & w/p
2004 Colors
2300 Received P221854Z Lower S/C warnings

S. M. Adams SN

CERTIFIED TO BE CORRECT

Bobby G McWilliams BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 22nd May 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	NW	2	2985		55	B	—		8	—	—
0400	NW	2	2990		64	B	—		8	—	—
0800	NW	2	2995		68	B	—		8	—	—
1200	SW	2	3006		63	BC	AS/ST	3	8	—	—
1600	SW	2	3002		60	BC	AS/ST	3	8	—	—
2000	SW	2	3002		65	BC	AS/ST	8	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1870	17	5400
EXPENDED	15	—	200
REMAINING	1855	17	5200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
[✓ AL], AWL, AOL	1	
AH Liberty	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only) — **RADIOBEACON** (Low visibility and calibration time only)

FOG SIGNAL TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRES-SURE	RADIOBEACON TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY		—		15	TOTAL FOR DAY								
TOTAL FOR MONTH		35	45		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400
0000 All A/N uis & w/p

0400-0800 S. M. Adams SN
0400 uneventful watch
0600 Secured Main light

0800-1200 S. M. Adams SN
0800 Colors
0805 Turn to station work
1145 Chow down

1200-1600
1200 A/N uis & w/p
1230 drill period, Fire drill
1300 Turned to
1330 CG 40522 moored with Civil employees with new foghorns
1345 CG 40522 departed with Civil employees

1600-2000 S. M. Adams SN
1600 All A/N uis & w/p, Secured from work
1930 ~~S~~ Turned on main Light

2000-0000 S. M. Adams SN
2000 All A/N uis & w/p
2005 Evening colors

S. M. Adams SN

CERTIFIED TO BE CORRECT

Bobby G McWilliams BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 23rd May 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	3006		60	BC	AS/ST	2	8	—	—
0400	SW	2	3004		59	BC	AS/ST	2	8	—	—
0800	SW	2	3007		65	BC	AS/ST	2	8	—	—
1200	SW	2	3006		73	BC	AS/ST	2	8	—	—
1600	SW	2	3004		69	BC	AS/ST	2	8	—	—
2000	SW	2	3000		68	BC	AS/ST	2	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1855	17	5200
EXPENDED	15	—	200
REMAINING	1840	17	5000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
[✓ AL.] AWL, AOL	1	
AH liberty	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0536 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		38	45	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 All A/N ois & w/p

0400 - 0800 S. M. Adams SN

0400 uneventful watch
0600 Secured Main Light

0800 - 1200 S. M. Adams SN

0800 Colors
0805 Turned to Station work
0930 CG 40522 moored station with "Civil Employees" from CG - Base Woods Hole
0935 CG 40522 departed station

1200 - 1600 S. M. Adams SN

1200 Chow down, All A/N ois & w/p
1230 Received R 231600Z conduct comm check from Grp Comm Npt

1600 - 2000 S. M. Adams SN

1600 CG 40522 moored station with white ETN-2 & departed with "Civil Employees"
1930 Main Light on

2000 - 0000 S. M. Adams SN

2000 All A/N ois & w/p
2005 Evening colors
2240 Received P 240154Z Hoist S/C warning

1600 McWilliam BM-1 departed station on liberty S. M. Adams SN

CERTIFIED TO BE CORRECT

Bobby G McWilliams BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 24th May 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	3	2998		64	R	NS	6	6	—	—
0400	SW	4	2994		54	R	NS	8	6	—	—
0800	SW	4	2990		58	F/Z	NS	10	6	—	—
1200	SW	4	2976		57	O/Z	NS	10	5	—	—
1600	SW	5	2986		62	O/F	NS	10	2	—	—
2000	SW	4	2984		54	O/F	NS	8	3		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1840	17	5000
EXPENDED	15	—	200
REMAINING	1825	17	4800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
[✓ AL], AWL, AOL	1	
AH		
Liberty	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1400

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
1100	1230	1	30	15
1400	2100	7	00	15
2200	0000	2	00	15
TOTAL FOR DAY		10	30	15
TOTAL FOR MONTH		46	15	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked Vis A/N

0400 - 0800 L.G. White

0400 Checked Vis A/N
0600 Secured Main Light

0800 - 1200 L.G.White

0800 colors
0805 Turn To
1100 STarted Fog Horn, Gull RKs Bell & Main Light

1200-1600 S. M. Adams SN

1200 Chow down
1230 Held drill, turned to, Secured Main Light Gull RK's & Foghorn
1400 STarTed Fog Horn Gull RKs. Bell and Main Light

1600-2000 S. M. Adams SN

1600 All A/N not vis due to low visibility, Secured station work
1800 Received P 242140Z

L.G.White

2000-0000

2000 Checked All Vis. A/N
2008 colors
2100- Secured Fog Horn & Gull RKs Bell
2200 STarted Fog Horn & Gull RKs Bell

L.G.White

CERTIFIED TO BE CORRECT

Bobby G McWilliams BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 25th May 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	3	2982		48	FR	NS	10	2		
0400	SW	4	2980		48	BC	NS	4	5		
0800	SW	4	2980		52	BC	ASST	2	6		
1200	SW	4	2980		68	BC	ASST	3	7		
1600	SW	3	2982		64	BC	ASST	2	7		
2000	SW	3	2984		58	BC	ASST	3	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1825	17	4800
EXPENDED	15	-	200
REMAINING	1810	17	4600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
[✓ AL], AWL, AOL	1	
AH		
1 Liberty	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only)

RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
0000	0200	2	00	15									
TOTAL FOR DAY		2	00	15	TOTAL FOR DAY								
TOTAL FOR MONTH		218	15		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 A/N not, vis

0200 Secured Fog horn & Gull RK'S bell

L J White

0400-0800

0400 uneventful watch

0600 Secured Main Light

L J White

0800-1200

0800 Colors - Quarters, Turn to station work

0930 Civil Employees Arrived 40522

1000 40522 Departed Station with McWilliams BM1 on Liberty

L J White

1200-1600

1200 Chow

1230 Turn To

1330 Shoffter W2 Plach Warn. Arrived with 30402

1400 " " Departed Station with Civil Employees

1430 16585 Departed Station with Adams SN. for Newport for Chow and Pick up McWilliams BM1 with Permission from Castle Hill

L J White

1600-2000

1600 Checked Vis A/N

1615 Received P/251952Z Lower Small craft Warnings

1630 16585 Returned Station with ADAMS SN. and McWilliams BM1

1930 Turned on Main Light

L J White

2000-2400

2000 Checked Vis A/N

2010 Colors

L J White

CERTIFIED TO BE CORRECT

Bobby G McWilliams BM1

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 26th May 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	3	2984		56	BC	AS/ST	3	7		
0400	SW	4	2984		58	BC	AS/ST	3	7		
0800	SW	4	2984		60	BC	AS/ST	3	7		
1200	SW	5	2984		66	BC	AS/ST	3	7		
1600	SW	3	2986		62	BC	AS/ST	3	7		
2000	SW	2	2990		58	BC	AS/ST	3	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1810	17	4600
EXPENDED	15	–	200
REMAINING	1795	17	4400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL	1	
AH liberty	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		28	15	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 checked Vis A/N

L G White

0400 - 0800

0400 - Checked Vis A/N
0600 - Secured Main Light

L G White

0800 - 1200

0800 colors
0805 Turn To
1000 - ADAMS SN Departed on Liberty

1200 - 1600

1200 Received P261140Z, checked Vis A/N, Chow
1230 Turn To Station work

L G White

1600 - 2000

1600 checked Vis A/N
1630 Secured Station Work
1930 Turned on Main Light

L G White

2000 - 2400

2000 checked Vis A/N
2010 colors

L G White

CERTIFIED TO BE CORRECT

Bobby G McWilliams BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 27th May 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	2	2992		54	BC	AS/ST	3	7		
0400	NW	2	2996		58	BC	AS/ST	3	7		
0800	N	2	2998		60	BC	AS/ST	3	7		
1200	N	2	3000		66	BC	AS/ST	3	7		
1600	N	2	3004		67	BC	AS/st	3	7		
2000	SW	3	3006		55	BC	AS/ST	3	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1795	17	4400
EXPENDED	15	—	200
REMAINING	1780	17	4200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
[✓ AL], AWL, AOL	1	
AH		
liberty	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		48	15	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400
0000 Checked Vis A/N

L G White

0400 - 0800
0400 Checked Vis A/N
0600 Secured Main Light
0700 Received P 271040Z Raise Small Craft

0800 - 1200
L G White

0800 Colors
0805 Turn To station
1010 Received call from Mr. Leatham Son Ran away from Home in skif Notified Castle Hill

L G White

1200 - 1600
1200 Checked Vis A/N Chow
1230 Holliday Routine

L G White

1600 - 2000
1600 Checked Vis A/N
1930 Colors
2008 Colors checked Vis A/N

L G White

2000 - 2400

L G White

CERTIFIED TO BE CORRECT

Bobby L McWilliams BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 28th May 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	S	2	3010		52	BC	AS/ST	3	7	—	—
0400	SE	2	3016		56	BC	AS/ST	3	7	—	—
0800	E	2	3024		62	BC	AS/ST	3	7	—	—
1200	SSE	2	3030		67	BC	AS/ST	3	7	—	—
1600	SSE	2	3030		69	BC	AS/ST	3	7	—	—
2000	SSE	2	3033		56	BC	AS/ST	3	7	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1780	17	4200
EXPENDED	15	—	200
REMAINING	1765	17	4000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
Ⓒ AL, AWL, AOL	1	
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		48	15	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 - Check Vis A/N

0400 - 8000

0400 Checked Vis A/N
0600 Secured Main Light

0800 - 1200

0800 Colors
0805 Turn To Station Work
0810 16585 Departed for Newport for Chow & Adams SN off Liberty
0830 16585 Arrived Station
1100 16585 Departed for Castle Hill LBS, White EN2 for ~~[illegible]~~ supplies
1130 16585 Returned to station with supplies & White EN-2
1200 Secured for chow.

1200 - 1600 S.M. Adams SN

1230 CG 30402 arrived with Reynolds, [illegible]

1600 - 2000 S.M. Adams, SN

1600 All A/N vis & W/P, Secured from station work
1615 CG 30402 moored station & departed with "Reynolds Civil Employee"
1930 Main Light on

2000 - 2400 S.M. Adams SN

2000 All A/N vis & W/P
2008 Evening colors

S.M. Adams SN

CERTIFIED TO BE CORRECT

Bobby G. McWilliams
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 29th May 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Calm		3038		52	B	—	—	8	—	—
0400	Calm		3040		58	B	—	—	8	—	—
0800	Calm		3044		64	B	—	—	8	—	—
1200	SSE	2	3043		65	BC	AS/ST	2	8	—	—
1600	SSE	2	3040		60	BC	AS/ST	2	8	—	—
2000	SSE	2	3036		60	BC	AS/ST	2	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1765	17	4000
EXPENDED	15	-	200
REMAINING	1750	17	3800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
[✓ AL], AWL, AOL	1	
AH		
liberty	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—	—	
TOTAL FOR MONTH		48	15	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400
0000 All A/N vis & w/p

0400-0800 S.M. Adams
0400 uneventful watch
0530 Secured Main Light

0800-1200 S.M. Adams
0800 Colors, Turned to
0830 CG 30402 moored station with "Reynold Civil Employee
CG 30402 departed station
1000 White EN-2 departed with 48 hrs liberty

1200-1600 S.M. Adams
1200 Chow, CG 30402 arrived this unit for
Reynolds Civil Employee, departed this unit

1600-2000 S.M. Adams
1600 A/N vis w/p Secured ~~Main Light~~ Station work
1930 Main Light in operation

2000-0000 S.M. Adams
2000 All A/N vis & w/p
2010 Evening colors

S.M. Adams SN

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

"Memorial Day"

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 30th May 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	3030		60	BC	AS/ST	2	7	—	—
0400	SW	2	3034		65	BC	AS/ST	2	7	—	—
0800	SW	2	3036		68	OF	NS	10	2	—	—
1200	SW	2	3025		69	O	NS	10	7	—	—
1600	W	4	3020		65	OF	NS	10	3	—	—
2000	W	4	3016		62	OF	NS	10	2	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1750	17	3800
EXPENDED	15	—	200
REMAINING	1735	17	3600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
[✓ AL,] AWL, AOL	1	
AH Liberty	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0830 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0500	0830	3	30	15
1450	1500		10	15
1600	0000	8	00	15
TOTAL FOR DAY		11	40	15
TOTAL FOR MONTH		49	55	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 All A/N vis & w/p 0000 - 0400

0400 - 0800 S. M. Adams SN
0400 All A/N vis & w/p
0500 Turned on Foghorn & Gull Rk's bell

0800 - 1200 S. M. Adams SN
0800 Colors - Quarters, turned to - Holiday Routine
0830 Secured Main Light & Foghorn & Gull RK's bell
1040 Received P301356Z Hoist S/C warning
1145 Chow down

1200 - 1600 S. M. Adams SN
1200 All A/N vis & w/p
1230 Held drill - Turned to
1450 Turned on Main Light - Gull RK's bell & Foghorn
1500 Secured Main Light - Gull RK's bell & Foghorn

1600 - 2000 S. M. Adams SN
1600 All A/N not vis & w/p Main Light on & Gull RK's bell & Foghorn

2000 - 0000
2000 All A/N not vis due to low visibility
~~2000~~
2007 colors

S. M. Adams SN

CERTIFIED TO BE CORRECT

Bobby G. McWilliams BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545—1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 31st May 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	2	3016		72	OF	NS	10	1	—	—
0400	W	2	3012		74	OF	NS	10	1		
0800	W	2	3010		76	OF	NS	10	1		
1200	SW	4	2994		80	O-Z	NS	8	7		
1600	SW	4	2990		64	O-Z	NS	8	7		
2000	SW	3	2986		58	O	NS	8	6		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1735	17	3600
EXPENDED	15	—	200
REMAINING	1720	17	3400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
[✓ AL], AWL, AOL	1	
AH liberty	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 1000 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	1000	10	00	15
TOTAL FOR DAY		10	00	
TOTAL FOR MONTH		39	55	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 All A/N not vis due to low visibility

0400-0800 J. Mc Adams SN

0400 All A/N not vis due to low visibility

0800-1200 J. Mc Adams SN

0800 Colors - Quarters - Turned to, All A/N not vis due to low visibility
0815 White EN-2 called in off liberty 48 hrs
1000 Secured Main Light - Foghorn & Gull RK's bell
1030 CG 16585 moored station with White EN-2 off 48 hr's liberty

1200-1600 J. Mc Adams SN

1200 All A/N vis & w/p Chow
1230 Held drill
1300 Turned to
1445 WAGL 403 SPAR Arrived to deliver water
1600 WAGL 403 Departed

1600-2000

1600 - checked vis A-N
1630 - Secured station work
1930 Main Light

2000-0000

2000 All A/N vis & w/p
2011 colors

CERTIFIED TO BE CORRECT

Bobby S McWilliams BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1